



WALK IN FUME HOOD BFSD-802

WALK IN FUME HOOD BFSD-802

WALK-IN FUME HOOD



1. With memory function in case of power-failure.
 2. Operators are available to walk into the fume hood to operate if need.
 3. Large room exhaust system, suitable for large laboratory instruments and equipment.
- Water Sink
Water & Gas Remote, Control Valve
Water & Gas Tap
Application
Application

SPECIFICATIONS

| | |
|-------------------------------------|---|
| Model | BFSD-802 |
| External Size (W*D*H) | 1500*800*2250mm |
| Internal Size (W*D*H) | 1280*550*1670mm |
| Max Opening | 1300mm |
| Exhaust Airflow Volume | 1500m ³ h |
| Inflow Air Velocity | 0.3~0.8m/s. |
| Noise | ≤62dB |
| Vibration | Amplitude≤5μm |
| Illumination | ≥800Lux |
| LED Lamp | 16W*2 |
| Power Supply | AC220V±10%, 50/60Hz; 110V±10%, 60Hz |
| Consumption | 500W |
| Front Window | Manual, 55mm toughened glass,height adjustable |
| Material Exterior | 1.0mm cold-rolled steel with bacteria powder coating. |
| Material Interior | Compact laminate board with good acid and alkali resistance function |
| Standard Accessory | External blower , LED lamp, Water tap, Gas tap, PP cup sink, Remote control water valve, Remote control gas valve, Waterproof sockets*4, 4.3 meters Φ300mm PVC exhaust duct |
| Sockets | Total load of 4 waterproof sockets: ≤500W |
| Package Size (W*D*H) Main Body | 1710*1050*2450mm |
| Package Size (W*D*H) Exhaust Blower | 1040*890*710mm |
| Gross Wight | 340KG |
| Alt Name | Walk-in Fume Hood |

FEATURES

1. With memory function in case of power-failure.
2. Operators are available to walk into the fume hood to operate if need.
3. Large room exhaust system, suitable for large laboratory instruments and equipment.

Water Sink



Water & Gas Remote, Control Valve



Water & Gas Tap



Application



Application



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada
Email: info@biolabscientific.com | Website: www.biolabscientific.com