




## PRECISION BALANCE BFT-1701

# PRECISION BALANCE BFT-1701

PRECISION BALANCE



Electromagnetic force sensor  
 LCD (White back light with black font)  
 Tare function / Counting / Unit conversion / Peak holding  
 Sensitivity / Speed set / Percentage  
 Print function (Baud rate setting, Continuous communication or press communication)  
 Overload alarm / Fault alarm / Level indicator  
 Option: USB / Printer

## SPECIFICATIONS

Model	BFT-1701
Capacity	200g
Readability	0.001g
Min weighing	0.004g
Repeatability	±0.002g
Linearity	±0.003g
Stable Time	≤3s
Operation temp	5-25°C
Pan size	Φ80mm (Standard)
Dimension	305*210*305mm
Draft shield size	175*165*200mm (Inner diameter)
LCD Size	94*24mm
Cal. weight	External calibration
G.W	8.0kg
N.W	6.0kg
Packing size	425*310*410mm
Interface	RS232 (Standard)
Sensor	EMF
Alt Name	Precision Balance

## ACCESSORIES FOR PURCHASE

No	Name	Description	Information
1	Weight set	Recommend corresponding accuracy calibration (1mg-20kg)	M1 level Suitable for 0.1g-0.01g F2 level Suitable for 0.01g-0.001g F1 level Suitable for 0.001g-0.0001g E2 level Suitable for over 0.0001g

2	Weight set	Lock type series weights (5kg-20kg)	M1 level Suitable for 0.1g-0.01g F2 level Suitable for 0.01g-0.001g F1 level Suitable for 0.001g-0.0001g
---	------------	-------------------------------------	----------------------------------------------------------------------------------------------------------------



1



1




1



1



2



2



**Biolab Scientific Ltd.**

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: [info@biolabscientific.com](mailto:info@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)