



## MOISTURE ANALYZER BFT-601

# MOISTURE ANALYZER BFT-601

MOISTURE REGAIN ANALYZER



Moisture regain of textile  
 Test cotton, yarn, cloth, cashmere, silk, chemical fibrils...  
 Stainless steel net-cover  
 Highlight halogen lamp  
 HBM sensor  
 Aluminum shell  
 Stainless steel chamber  
 LCD (White back light with black font)  
 Temperature / Time set  
 The percentage of moisture regain  
 Store historical set  
 Option: Aluminum box / Printer

## SPECIFICATIONS

Model	BFT-601
Capacity	110g
Readability	0.005g
Operating Temp	5°C-35°C
Display	LCD
Calibration	External calibration
Interface	RS232
Net Cover Size	Φ120mm
Packing Size	485*340*350mm
Gross Weight	7.0kg
Heating Unit	Halogen lamp
Temp.Sensor	PT100
Temp.Range	40°C-199°C
Temp.Step	1°C
Regain Range	0.00%-+∞
Moisture Readability	0.10%
Temp Setting	40°C-199°C By 1°C Step
Time Setting	1-99min By 10s
Number Of Storage	15
Heater power	220V ±15% 50Hz / 110V ±15% 60Hz/400W
Balance power	Input:220V 50Hz / 110V 60Hz Output:9V
Alt Name	Moisture Regain Analyzer

## ACCESSORIES FOR PURCHASE

No	Name	Size
1	Portable aluminum box	48*44*24cm
2	Temperature kit	



1



2

## FEATURES

Moisture regain of textile

Test cotton, yarn, cloth, cashmere, silk, chemical fibrils...

Stainless steel net-cover

Highlight halogen lamp

HBM sensor

Aluminum shell

Stainless steel chamber


LCD (White back light with black font)

Temperature / Time set

The percentage of moisture regain

Store historical set

Option: Aluminum box / Printer



1.Stainless steel upper mesh cover

2.Stainless steel lower mesh cover

3.Stainless steel plate



**Biolab Scientific Ltd.**

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: [info@biolabscientific.com](mailto:info@biolabscientific.com) | Website: [www.biolabscientific.com](http://www.biolabscientific.com)