



VACUUM OVEN BGI1J3 (BOVA-7403)

VACUUM OVEN BGI1J3

VACUUM OVEN

Programmability controller (with timing function)

Vacuum oven is designed especially for drying of material which is thermo-sensitive or decomposes and oxidative easily. It can be filled with inert gases, which is especially for a rapid drying of some compound material.



- Microprocessor controller.
- Dual layer tempered glass door for clear observation.
- Minimum heating time 50% less than traditional vacuum oven.
- Interior chamber made from stainless steel with a mirror polished finish making for easy cleaning.
- Standard with vacuum pump.
- Provides programmability for 7 periods and 9 steps for each period making for a total of 63 programmable step.

SPECIFICATIONS

Model	BGI1J3
Old Model	BOVA-7403
Electrical Requirement	AC220V 50HZ
Controller	LCD Programmability controller
Power Consumption	2100W
Temperature Range	RT+10 ~ 200°C
Display Resolution	0.1
Temperature Stability	±1°C
Vacuum Degree	133Pa
Ambient Temperature	+5~40°C
Chamber Volume	197L
Interior Dimension (WxDxH) mm	540x575x635
Exterior Dimension (WxDxH) mm	720x740x1530
Shelves	3pcs
Chamber Material	304 Stainless steel
Alt Name	Vacuum Oven





Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada
Email: info@biolabscientific.com | Website: www.biolabscientific.com