




STAINING SYSTEM BHTP-405

STAINING SYSTEM BHTP-405

IMMUNO AUTO STAINER

The standardization of the test method of Immunostainer is becoming more and more important with the wide use of the Immunostainer technology in modern pathologic diagnosis because it has a bearing on the prognosis and treatment of the patient. Immunohistochemistry Stainer adopts European advanced technology with an intelligent program interface which is easy to understand and operate, thus providing a scientific and reliable platform for the standardization of the test method of Immunostainer.



The clean-out opening of the drop-tube can make both the interior and exterior wall of the drop-tube cleaned and avoid cross pollution.

Slice loading frame with convenient pin insertion. Keep the slice smooth and stable.

64 kinds of reagent location frame. The reagent bottle can be taken out and placed in the refrigerator after its usage.

The subarea location of the slice assures that the minimum reagent quantity exerts its maximum effect. 1-3 tissues can be dyed once at the same time.

Features

Open the system, suitable for reagents of different company

Suitable for various kinds of specimen: paraffin, refrigerated and punctured microtome sections, cell smear and marrow microtome section

SPECIFICATIONS

Model	BHTP-405
Slides Capacity	48
Reagents Capacity	64
Minimum dropping reagent	50 µl
Dropping reagent increment	50 µl, 100 µl, 150 µl, 200 µl
Maximal output power	≤350 VA
Working noise	≤60 dB(A)
Application	IHC, HE more
Dimensions (mm)	1015x665x520 mm
Power supply	220V or 110V
Rated current	1.6 A
Net Weight	116 kg
Package Info	
--Packing	Wooden Case
--Gross Weight	158 kg
--Package Dimensions	1100x750x710 mm, 810x510x560 mm
Alt Name	Immuno Auto stainer



FEATURES




The clean-out opening of the drop-tube can make both the interior and exterior wall of the drop-tube cleaned and avoid cross pollution.



Slice loading frame with convenient pin insertion. Keep the slice smooth and stable.



64 kinds of reagent location frame. The reagent bottle can be taken out and placed in the refrigerator after its usage.



The subarea location of the slice assures that the minimum reagent quantity exerts its maximum effect. 1-3 tissues can be dyed once at the same time.

Features

Open the system, suitable for reagents of different company

Suitable for various kinds of specimen: paraffin, refrigerated and punctured microtome sections, cell smear and marrow microtome section

Precise micro dropping rates of reagent adjustable to the minimum of 50ul, thus saving expensive reagent

Different dropping rates of antibody can be set for different tissue section

Excellent overall sealing keeps the inside environment wet

Contents are under the protection of secret code

The dropper point surface is Teflon treated and can be thoroughly cleaned to avoid cross contamination

Movable scavenging gentle air blows off the liquid residue on the tissue sections.

Open system, Suitable for various kinds of specimen

True hands free, walk away ,overnight operation.

Easy Windows™ based programming,password protection

Allows for several stainers using single computer simultaneously

User-specified protocols/User's own reagents,serval runs per day

Robust, proven construction and operation

No disposable pipette tips

Per-run reagent volume checks

Detailed reports stored

No additional consumable costs

No special reagents-using for different company



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada
Email: info@biolabscientific.com | Website: www.biolabscientific.com