PRODUCT CATALOG

CLASS B AUTOCLAVE BJT-801

ISO9001 CERTIFIED

www.biolabscientific.com

CLASS B AUTOCLAVE BJT-801

TABLE TOP STEAM STERILIZER (CLASS B)

4.7-inch full-color LED touch screen.
Automatic door opening and closing structure.
Electronic safety door interlock.
High-quality stainless steel cavity and sealing cover.
Microcomputer control, full-process automatic control, and automatic fault detection.
High-altitude adaptive system to realize automatic atmospheric pressure calibration.
5 preset programs and 3 test programs.
Equipped with a standard test interface.
Compliant with European Class B standards, with 1-6 adjustable pulse vacuums.
The machine is equipped with comprehensive automatic protection functions and an

SPECIFICATIONS

Model	BJT-801
Capacity	18L
Sterilization Temperature	116~134°C
Working Pressure	0.22 MPa
Features	
Power	2.2KW
Voltage	AC 110V 60HZ or AC 220V 50HZ
Design Pressure	-0.1~0.25MPa
Design Temperature	139°C
Sterilization Temperature Range	116~134°C
Sterilization Time Range	4~120 min
Drying Time Range	0~240 min
Chamber Size (mm)	Φ250x360
Overall Dimensions (mm)	710x505x450
Packaging Dimensions (LxWxH) (mm)	790x590x520
Gross/Net Weight	65/53kg
Alt Name	Table Top Steam Sterilizer (Class B)

FEATURES

4.7-inch full-color LED touch screen.
Automatic door opening and closing structure.
Electronic safety door interlock.
High-quality stainless steel cavity and sealing cover.
Microcomputer control, full-process automatic control, and automatic fault detection.
High-altitude adaptive system to realize automatic atmospheric pressure calibration.
5 preset programs and 3 test programs.
Equipped with a standard test interface.
Compliant with European Class B standards, with 1-6 adjustable pulse vacuums.
The machine is equipped with comprehensive automatic protection functions and an emergency stop.
Buzzer reminder upon completion of sterilization, with automatic shutdown.
Built-in high-efficiency independent steam generator for rapid and stable supply of saturated steam.
Built-in printer and USB function.
Optional water quality testing function.

Biolab Scientific Ltd.
Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada
Email: info@biolabscientific.com | Website: www.biolabscientific.com