




LABORATORY VERTICAL AUTOCLAVE BJT1B4 (BAVT-2904)

LABORATORY VERTICAL AUTOCLAVE BJT1B4

VERTICAL AUTOCLAVE



Three times pre-vacuum
High quality stainless steel material
Microcomputer automatic control, arbitrary setting sterilization parameters
Safety interlocking device
LED touch screen display
Standard test interface
Self-expanding seal
With drying function
With stainless steel bucket or basket
With automatic protection function/over temperature protection; over pressure self discharge protection ; low water level protection; anti dry burning.
Automatic water

SPECIFICATIONS

Model	BJT1B4
Old Model	BAVT-2904
Capacity	100 L
Power	4.5 kW
Voltage	AC 220V. 50HZ
Design pressure	0.25 Mpa
Design temperature	139°C
Rated working pressure	0.22 Mpa
Rated working temperature	134°C
Sterilization temperature setting range	116°C~134°C
Sterilization time setting range	4 ~ 120 min
Drying time setting range	0 ~ 240 min
Chamber volume	Ø 450x650
Bucket dimension	Ø 420x540
Basket dimension	Ø 410x300x2
Outer dimension	760x560x1260
Packing size	870x650x1380
Net weight	132 Kg
Gross Weight	159 Kg
Alt Name	Vertical Steam Sterilizer

FEATURES

Three times pre-vacuum
High quality stainless steel material
Microcomputer automatic control, arbitrary setting sterilization parameters
Safety interlocking device
LED touch screen display
Standard test interface
Self-expanding seal
With drying function
With stainless steel bucket or basket
With automatic protection function/over temperature protection; over pressure self discharge protection ; low water level protection;

anti dry burning.
Automatic water
External steam Generator
Buzzer reminder after sterilization, automatic stop.
Automatic discharge of cold air, automatic steam exhaust after sterilization
Internal printer



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada
Email: info@biolabscientific.com | Website: www.biolabscientific.com