



COMPOUNDING HOOD BLDK-104

COMPOUNDING HOOD BLDK-104

COMPOUNDING HOOD




- There are two types:
- Positive pressure in work area only protects sample
 - Negative pressure in work area protects operator and environment.

SPECIFICATIONS


Model	BLDK-104
External Size (W*D*H)mm	560*460*700mm
Internal Size (W*D*H)	480*340*370mm
Display	LED Display
Airflow Velocity	≥0.5m/s
Material Main body	Cold-steel with anti-bacterial powder coating
Material Work table	304 stainless steel
Pre-Filter	Polyester fiber
Filter	Active Carbon Filter, HEPA Filter
Noise	≤60dB
Front Window	Manual, 5mm toughened glass, anti UV
Max Opening	300mm
LED Lamp	4W*1
UV Lamp	8W*1 Emission of 253.7 nanometers
Consumption	100W
Power Supply	AC220V±10%, 50/60Hz; 110V±10%, 60Hz;
Standard Accessory	Active carbon filter, HEPA filter, LED lamp, UV lamp*2.
Optional Accessory	/
Gross Weight	57kg
Package Size (W*D*H)mm	700*610*925
Alt Name	Compounding Hood

FEATURES

There are two types:



- Positive pressure in work area only protects sample
- Negative pressure in work area protects operator and environment.



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com