



MULTI-PARAMETER ANALYZER BMET-1102

MULTI-PARAMETER ANALYZER BMET-1102

DIGITAL MULTIMETER T-RMS

Multi-parameter Analyzer simultaneously measures Ion, Conductivity, Dissolved Oxygen, Temperature that otherwise requires four different meters. With the appropriate probes installed, it can also simultaneously measure several or one parameters.



SPECIFICATIONS

Model	BMET-1102
DC Voltage	
- 600 mV / 6 V / 60 V / 600 V / 1000 V	± (0.5% + 3)
AC Voltage	
- 6 V / 60 V	± (0.8% + 3)
- 600 V / 750 V	± (1.0% + 10)
DC Current	
- 60 µA / 60 mA / 600 mA	± (0.8% + 3)
- 20 A	± (1.2% + 3)
AC Current	
- 60 mA / 600 mA	± (1.0% + 3)
Resistance (Ω)	
- 600 / 6k / 60k / 600k / 6M	± (0.8% + 3)
- 60 MΩ	± (1.2% + 30)
Capacitance	
- 6 nF	± (4.0% + 30)
- 60 nF / 600 nF / 6 µF / 60 µF / 600 µF / 6 mF	± (4.0% + 3)
- 100 mF	± (5.0% + 3)
Frequency	
- 60 / 600 / 6k / 60k / 600k / 6M / 10 MHz	± (1.0% + 3)
Duty Cycle	
- 5% - 95%	± (2.0% + 3)
Temperature	
- -20°C to 1000°C / -4°F to 1832°F	± (1.0% + 3)
hFE	
- 0 - 1000	± (1.0% + 3)
Alt Name	Digital Multimeter T-RMS



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada
Email: info@biolabscientific.com | Website: www.biolabscientific.com