



MULTI-PARAMETER ANALYZER BMET-1111

MULTI-PARAMETER ANALYZER BMET-1111

MULTIMETER

Multi-parameter Analyzer simultaneously measures Ion, Conductivity, Dissolved Oxygen, Temperature that otherwise requires four different meters. With the appropriate probes installed, it can also simultaneously measure several or one parameters.



SPECIFICATIONS

Model	BMET-1111
DC Voltage	
- 300 mV	± (0.1% + 5)
- 3 V / 30 V / 300 V	± (0.05% + 5)
- 1000 V	± (0.1% + 5)
DC Current	
- 300 μA / 3 mA / 30 mA / 300 mA	± (0.5% + 10)
- 10 A	± (1.2% + 50)
Resistance	
- 300 Ω / 3 kΩ / 30 kΩ / 300 kΩ	± (0.5% + 10)
- 3 MΩ / 30 kΩ / 300 kΩ	± (0.8% + 10)
- 30 MΩ	± (1.5% + 10)
- 300 MΩ	± (3.0% + 10)
Capacitance	
- 30 nF / 300 nF / 3 μF / 30 μF	± (3.0% + 5)
- 300 μF / 3 mF	± (4.0% + 5)
- 30 mF	± (10.0% + 5)
- 300 mF	± (20.0% + 5)
Frequency	
- 10 ~ 300 Hz	± (0.01% + 5)
Duty Cycle	
- 0.1% ~ 99%	± (2.0% + 5)
Display	30000 Counts T-RMS
Auto / Manual Range	Yes
Bargraph Display	Yes
Relative Measurement	Yes
True RMS	Yes
MAX / MIN	Yes
USB Interface	Yes

Data Hold	Yes
Diode Test	Yes
Transistor Test	Yes
Continuity	Yes
Capacitance Test	Yes
AC + DC Voltage Measurement	Yes
Back Light	Yes
Power Supply	4 x 1.5 V AA Batteries
Weight	359.5 g (Without Battery)
Size	195 x 93 x 54 mm
Safety Level	(Not provided in image-likely CAT rating)
Alt Name	Multimeter



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com