

MULTI-PARAMETER ANALYZER BMET-1113

MULTI-PARAMETER ANALYZER BMET-1113

MULTIMETER

Multi-parameter Analyzer simultaneously measures Ion, Conductivity, Dissolved Oxygen, Temperature that otherwise requires four different meters. With the appropriate probes installed, it can also simultaneously measure several or one parameters.

SPECIFICATIONS

Model	BMET-1113
DC Voltage	
- 60 mV / 600 mV / 6 V / 60 V / 600 V	± (0.5% + 3)
AC Voltage	
- 60 mV / 600 mV / 6 V / 60 V / 600 V / 750 V	± (0.8% + 3)
DC Current	
- 600 µA / 6 mA / 60 mA / 600 mA	± (0.8% + 3)
- 6 A / 10 A	± (1.2% + 3)
AC Current	
Resistance	
- 600 Ω / 6 kΩ / 60 kΩ / 600 kΩ / 6 MΩ	± (1.2% + 5)
- 60 MΩ	± (2.0% + 5)
Capacitance	
- 10 nF / 100 nF / 1 µF / 10 µF / 100 µF	± (3.0% + 5)
- 100 mF	± (5.0% + 5)
Frequency	
- 10 Hz ~ 10 MHz	± (1.0% + 5)
Duty Cycle	
- 1% ~ 99%	± (3.0% + 5)
Display Count	6000
Auto Range	Yes
Bargraph Display	Yes
Data Hold	Yes
VFD Measurement	Yes
Relative Measurement	Yes
MAX / MIN Measurement	Yes
Diode Test	Yes
Continuity	Yes
NCV (Non-Contact Voltage Detection)	Yes
Live Line Voltage Detection	Yes
Backlight	Yes
Power Supply	2 x 1.5 V AAA
Weight	268.5 g
Size (mm)	166 x 78 x 48 mm
Safety Standard / Rating	EN61010-1, EN61010-2-033, EN61326, CAT III 600 V
Alt Name	Multimeter



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada
Email: info@biolabscientific.com | Website: www.biolabscientific.com