



DRYING OVEN BODR-7002

DRYING OVEN BODR-7002

DRYING OVEN



LCD Programmable controller (with timing function)
Polished stainless-steel chamber, semicircular arcs at corners for easy cleaning, and the space between the shelves in the chamber is adjustable.
Auto-controller of fan speed to prevent damage to the samples.
Large LCD screen to display more data at same time.
Self-check function makes it easy to identify problems.
There is a 25mm instruction connection hole on the left side of the chamber for easy testing operation and temperature.
Programmable controller: 7 periods 63 steps, 0~5999min for each period , fan speed 0 to 100% adjustable.
Independent audible and visible temperature-limiting alarm system ensures experiments run safely.

SPECIFICATIONS

Model	BODR-7002
Electrical Requirement	220V 50HZ
Controller	Programmable LCD display
Power Consumption	1100W
Temperature Range	RT+10~250°C
Display Resolution	0.1°C
Temperature Stability	±1°C
Temperature Uniformity	±2.5% (@100°C)
Shelves	2(PCS)
Interior Dimension (WxDxH)mm	400x320x550
Exterior Dimension (WxDxH)mm	550x660x750
Chamber Volume	80L
Timing Range	0~5999min
Packing Dimension	83*66*90
CBM	0.49
Net Weight	52.00
Gross weight	79
Alt Name	Drying Oven

FEATURES

LCD Programmable controller (with timing function)
Polished stainless-steel chamber, semicircular arcs at corners for easy cleaning, and the space between the shelves in the chamber is adjustable.
Auto-controller of fan speed to prevent damage to the samples.
Large LCD screen to display more data at same time.
Self-check function makes it easy to identify problems.
There is a 25mm instruction connection hole on the left side of the chamber for easy testing operation and temperature.
Programmable controller: 7 periods 63 steps, 0~5999min for each period , fan speed 0 to 100% adjustable.
Independent audible and visible temperature-limiting alarm system ensures experiments run safely.
RS485 connector can connect computer and printer to record the parameters and the variations of temperature.(Option)



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada
Email: info@biolabscientific.com | Website: www.biolabscientific.com