



NATURAL CONVECTION OVEN BONC-101

NATURAL CONVECTION OVEN BONC-101

NATURAL CONVECTION OVEN



- 304 stainless steel, mirror polishing processing, easy to clean and maintain.
- Natural convection with low noise.
- PID controller with over temperature alarm and timing function ensures precise and reliable control.

Option:

- Independent over-temperature alarm system ensures experiments running safely.
- RS 485 connector can connect computer to save the data via software.

SPECIFICATIONS

Model	BONC-101
Electrical Requirement	AC220V 50HZ
Temperature Range	RT+10 ~ 200°C
Display Resolution	0.1°C
Temperature Stability	±0.5°C
Ambient Temperature	+5 ~ 35°C
Power Consumption	850W
Chamber Volume	27L
Interior Dimension (WxDxH)mm	320x300x355
Exterior Dimension (WxDxH)mm	460x520x660
Shelves	2(pcs)
Packing Dimension	62*69*91
CBM	0.39
Net Weight	46.00
Gross weight	55
Alt Name	Natural Convection Oven

APPLICATIONS

LED Microprocessor Controller (with timing function)

Provided for desiccation, torrefaction, wax-melting and sterilization in mining industry, laboratories and scientific research institutes.



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com