



TESTER PETROLEUM EQUIPMENT BPTL-275

TESTER PETROLEUM EQUIPMENT BPTL-275

ANILINE POINT TESTER

Petroleum testing is the analysis during upstream, midstream, and downstream production processes of petroleum products. It is most commonly used to test petroleum product, its product components, byproducts of crude oil, fuel, natural gas, upstream oil and gas and other formats of petroleum.



The instrument can meet requirements for determining aniline point of transparent oils and aniline point of dark color oils. Digital temperature controller. High temperature control precision. Stable and reliable. Easy to operate.

SPECIFICATIONS

Model	BPTL-275
Temperature range	Ambient to 200°C
Temperature precision	≤0.5°C
Heating power	≤2100W
Ambient temperature	15°C ~ 35°C
Relative humidity	≤ 85%
Power supply	AC(220±10%)V, 50Hz
Dimension	370x520x460 mm
Net weight	14 kg
Alt Name	Aniline Point Tester

APPLICATIONS

Petroleum Industry, PVC Pipe Industry



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada

Email: info@biolabscientific.com | Website: www.biolabscientific.com