



ORBITAL SHAKER BSOT-208

ORBITAL SHAKER BSOT-208

3D SHAKER

The 3D Shaker has a compact and simple appearance, uses microcomputer control technology, and has various functions. It is suitable for laboratory instruments in the fields of electrophoresis gel decolorization / staining, sample mixing, molecular hybridization, immunoprecipitation, protein imprinting, and cell culture.



Real-time speed display and timing display, convenient and intuitive. Can be set to run continuously from time to time.

With a timing alarm system, when the program is finished, there will be a buzzer prompt.

Speed is adjustable, the speed range is 5 ~ 80rpm.

Special movement structure, strong bearing capacity and low running noise.

A variety of test tubes, petri dishes and other fixtures are available to meet a variety of experimental needs.

SPECIFICATIONS

Model	BSOT-208
Speed range	5~80rpm
Angle of inclination	16°
Timing range	0~99h59min
Operation mode	Timing/continuous operation
Maximum load	2.5kg
Power	35W
Fuse	250V,1A,φ5x20
Voltage	AC110~230V,50/60Hz
Dimensions	W.368xD.228xH.206 mm
Net weight	5.2kg
Alt Name	3D Shaker

ACCESSORIES FOR PURCHASE


No	Name	Description
1	Block A	500ml conical flask x 4
2	Block B	250ml conical flask x 5
3	Block C	100ml conical flask x 9
4	Block D	96-well culture plate x 2 Cell culture plate x 2
5	Rubber mat E	-
6	Rubber mat F	-



1



2



3



4



5



6



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada
Email: info@biolabscientific.com | Website: www.biolabscientific.com