



TUBE ROLLER / ROTATOR BTUR-101

TUBE ROLLER / ROTATOR BTUR-101

STANDARD TUBE ROLLER



Adjustable speed range from 0 to 70 rpm
Six roller design for gentle and efficient rolling, and is easy to clean

SPECIFICATIONS

Model	BTUR-101
Amplitude	24mm
Motor type	Brushless DC motor
Rocking motion	Rocking and rolling
Max. load capacity	4kg
Number of rollers	6
Roller size [length]	280mm
Speed range	0-70rpm
Speed display	Scale
Timer	-
Timer display	-
Time setting range	-
Operation mode	Continuous
Voltage, Frequency	100-240V, 50/60Hz
Power	25W
Dimension [DxWxH]	485 x 250 x 100mm
Weight	4.5kg
Permissible ambient temperature and humidity	5-40°C, 80%RH
Protection class	IP21
Alt Name	Standard tube roller

APPLICATIONS

Laboratory tube rollers provide a gentle and highly efficient rolling motion, ideal for mixing blood samples, viscous substances and liquid-solid suspensions.

Used in a variety of applications, such as the prevention of blood coagulation, immune precipitation, etc.



Biolab Scientific Ltd.

Trillium Executive Center, East Tower, 675 Cochrane Dr, Markham, Ontario L3R 0B8, Canada
Email: info@biolabscientific.com | Website: www.biolabscientific.com